

## DAVATZES, GRC 2007, GEOPHYSICAL EXPLORATION WORKSHOP

### REFERENCES CITED

- Barton, C.A., Hickman, S., Morin, R., Zoback, M.D., Finkbeiner, T., Sass, J., and Benoit, D. 1997. Fracture permeability and its relationship to in-situ stress in the Dixie Valley, Nevada, Geothermal Reservoir. Proceedings Twenty-Second Workshop on Geothermal Reservoir Engineering, Stanford University, Stanford California, January 27-29, 1997. SGP-TR-155, p. 147-152.
- Brudy, M. and M. D. Zoback, Drilling-induced tensile wall-fractures: Implications for determination of *in situ* stress orientation and magnitude, *Int. J. Rock. Mech. Min. Sci.*, 36, 191-215, 1999.
- Chester and Logain, 1986. Cornet, F.H., Berard, Th., Bourouis, S., (2007), How close to failure is a granite rock mass at a 5 km depth?, *International Journal of Rock Mechanics and Mining Sciences*, v. 44, p. 47-66.
- Crawford, B.R., Myers, R.D., Woronow, A., Faulkner, D.R., and Rutter, E.H. (2002), Porosity-permeability relationships in clay-bearing fault gouge. *SPE/IRSM* **78214**, 1-13.
- Curewitz, D., and Karson, J.A., 1997, Structural settings of hydrothermal outflow: Fracture permeability maintained by fault propagation and interaction: *Journal of Volcanology and Geothermal Research*, v. 79p. 149-168.
- Duffield, W.A., Bacon, C.R. and Dalrymple, G.B. (1980), Late Cenozoic volcanism, geochronology, and structure of the Coso Range, Inyo County, California. *Journal of Geophysical Research*, **85**(B5), 2381-2404.
- Echols, T.J., Hulen, J.B., Moore, J.N. and Crane, G. K. (1986), Surficial alteration and spring deposits of the Wheeler mercury prospect, with initial results from Wheeler Corehole 64-16, Coso geothermal area, California. In: *Transactions of Geothermal Resources Council, vol.10*. Geothermal Resources Council, Davis, 175-180.
- Evans, K.F., Genter, A., Sausse, J., (2005), Permeability creation and damage due to massive fluid injections into granite at 3.5 km at Soultz: 1. Borehole observations, *Journal of Geophysical Research*, v. 110, 19 p.
- Ekstrom, M.P., Dahan, C.A., Chen, M.Y., Lloyd, P.M., and Rossi, D.J., (1987), Formation imaging with microelectrical scanning arrays, *Log Analyst* **28**, 294
- Feng, Q. and Lees, J.M., (1998), Microseismicity, stress, and fracture in the Coso geothermal field, California: *Tectonophysics*, v. 289, p. 221-238.
- Genter, A., Castaing, C., Dezayes, C., Tenzer, H., Traineau, H., and Villemin, T., (1997), Comparative analysis of direct (core) and indirect (borehole imaging tools) collection of fracture data in the Hot Dry Rock Soultz reservoir (France), *Journal of Geophysical Research*, v. 102(B7), p. 15,419 - 15,431.
- Jaeger, J.C. and Cook, N. G. W. (1979), Fundamentals of Rock Mechanics (Third Edition). New York, Chapman and Hall, 283-30.
- Keys, W.S., and MacCary, L.M., 1971, Application of borehole geophysics to water-resources investigations: U.S. Geological Survey Techniques of Water Resources Investigations, book 2, chap. E1, 126 p.
- Kirsch G. Die Theorie der Elastizitat und die Bedürfnisse der Festigkeitslehre. VDI Z 1898;42:707.
- Kulander, B.R., Dean, S.L., and Ward, B.J. Jr., 1990, Fractured Core Analysis: Interpretation, Logging, and Use of Natural and Induced Fractures in Core: AAPG Methods in Exploration Series, No. 8: Tulsa, OK., American Association of Petroleum Geologists, no. 8, 88 p.
- Lockner, D.A. and Beeler, N.M. 2002. Chapter 32: Rock Failure and Earthquakes. In: *International Handbook of Earthquake and Engineering Seismology*, Volume 81A. 505-537.
- Moos, D. and Zoback, M.D., (1990), Utilization of observations of well bore failure to constrain the orientation and magnitude of crustal stresses: Application to continental, deep sea drilling project, and ocean drilling program boreholes, *Journal of Geophysical Research*, **100**(B), 12791-12811.
- Morrow, C.A., Moore, D.E., Lockner, D.A., (2001), Permeability reduction in granite under hydrothermal conditions, *Journal of Geophysical Research*, v. 106(B12) p. 30,551 - 30,560.
- Morrow, C.A. and D.A. Lockner, 2006, Physical properties of two core samples from Well 34-9RD2 at the Coso Geothermal Field, U.S. Geological Survey Open-File Report, in preparation.
- Peska, P. and Zoback, M. D. (1995), Observations of borehole breakouts and tensile wall fractures in deviated boreholes: A technique to constrain in situ stress and rock strength. *Journal of Geophysical Research*, **100**, 12791-12811.
- Power, W. L. and Tullis, T. E., 1989, The relationship between slickenside surfaces in fine-grained quartz and the seismic cycle, *J. Structural Geology*, 11, 879-893.
- Sarkar, S., Toksoz, M.N, and Burns, D.R. 2004. Fluid flow modeling in fractures. (<http://www-caps.mit.edu/erl/research/report1/reports.html>)
- Smith, L., Forster, C.B., and Evans, J.P., (1990), Interaction of fault zones, fluid flow, and heat transfer at the basin scale, in Hydrogeology of permeability environments: International Association of Hydrogeologists, v. 2, p. 41 - 67.
- Schmidt, M.G., Li, X., Steinsiek, R.R. and Ma, T.A., 1992, Numerical model for predicting ultrasonic transducer pulse-echo response to borehole fractures: Transactions of the 33<sup>rd</sup> Annual Logging Symposium of the Society of Professional Well Log Analysts, v. 33, paper U.
- TerraTek. (2004), Physical and mechanical properties characterization of two granitic rocks, Coso EGS Project, TerraTek Inc., *Technical Report TR04-400872*, Salt Lake City, UT, 71 p.
- Uehara and Shimamoto, 2004.
- Zemanek, J., Glen, E.E.Jr., Norton, L.J., and Cardwell, R.L., (1970), Formation evaluation by inspection with the borehole televiewer, *Geophysics* **35**, 254-269.
- Zoback, M. D., Moos, L., Mastin, and R. Andersson, Wellbore breakouts and in situ stress, *J. Geophys. Res.*, 90, 5523-5530, 1985. Z

oback, M.D., Barton, C.A., Brudy, M., Castillo, D.A., Finkbeiner, T., Grollmund, B.R., Moos, D.B., Peska, P., Ward, C.D., and Wiprut, D.J., 2003, Determination of stress orientation and magnitude in deep wells: *International Journal of Rock Mechanics and Mining Sciences*, v. 40, p.1049-1076

#### ADDITIONAL USEFUL REFERENCES

- Barton, C.A., Zoback, M.D., and Moos, D., 1995, Fluid flow along potentially active faults in crystalline rock: *Geology*, v.23, no. 8, p. 683-686.
- Barton, C. A., and Zoback, M.D., 1994, Stress perturbations associated with active faults penetrated by boreholes: Possible evidence for near complete stress drop and a new technique for stress magnitude measurements: *Journal of Geophysical Research*, v. 99, p. 9373– 9390.
- Barton, C., Hickman, S., Morin, R., Zoback, M.D., and Benoit, R., 1998, Reservoir-scale fracture permeability in the Dixie Valley, Nevada, geothermal field: *in* Holt, R. M. *et al.*, eds., Rock Mechanics in Petroleum Engineering, vol. 2: Richardson, TX., Society of Petroleum Engineers, v. 2, p. 315-322.
- Byerlee, J., 1978, Friction of rocks: *Pure and Applied Geophysics*, v. 116, no. 4-5, p. 615-626.
- Caine, J.S., Evans, J.P., and Forster, C.B., 1996, Fault zone architecture and permeability structure: *Geology*, v. 24, no. 11, p. 1025-1028.
- Cheung, P.S., 1999, Microresistivity and ultrasonic imagers: tool operations and processing principles with reference to commonly encountered image artifacts: *in* Lovell, M.A., Williamson, G., & Harvey, P.K., eds., 1999: *Borehole Imaging: applications and case histories*, Geological Society, London, Special Publications, v. 159, p. 45-57.
- Cornet, F.H., 1989, Survey by various logging techniques of natural fractures intersecting a borehole: *Proceedings of the 3<sup>rd</sup> International Symposium On Borehole Geophysics for Mining, Geotechnical, & Groundwater Applications*, Vol. II, p. 559-569, Mining & Geotechnical Logging Society Of SPWLA.
- Davatzes, N.C. and Hickman, S., 2005a, Comparison of acoustic and electrical image logs from the Coso geothermal field, CA: *Proceedings, 30<sup>th</sup> Workshop on Geothermal Reservoir Engineering*, Stanford University, January 31- February 2, 2005. SGP-TR-176, v. 30, 11 p.
- Davatzes, N.C. and Hickman, S., 2005b, Controls on fault-hosted fluid flow: Preliminary results from the Coso Geothermal Field, CA: *Geothermal Resources Council Transactions*, v. 29, p. 343-348.
- Davatzes, N.C. and Hickman, S., 2006a, Stress and faulting in the Coso Geothermal Field: Update and recent results from the East Flank and Coso Wash: *Proceedings, 31<sup>st</sup> Workshop on Geothermal Reservoir Engineering*, Stanford University, Stanford California, January 30-February 1, 2006, SGP-TR-179, v. 31, 12 p.
- Davatzes, N.C. and Hickman, S.H., 2006b, Section 3.1 Mechanical, Mineralogical, and Petrophysical Analysis of Fracture Permeability: *in* Rose, P., Hickman, S., McCulloch, J., Davatzes, N.C., Moore, J.M., Kovac, K., Adams, M., Mella, M., Wannamaker, P., Julian, B., Foulger, G., Swenson, D., Gosavi, S., Bhat, A., Richards-Dinger, K., Monastero, F., Weidler, R., Baisch, S., Ghassemi, A., Kohl, T., and Megel, T., 2006, *Progress Report for Year Ending December 31, 2005: Creation of an Enhanced Geothermal System through Hydraulic and Thermal Stimulation: Report to DOE, grant # DE-FC07-01ID14186*, 239 p., p. 135-164.
- Davatzes, N.C. and Hickman, S.H., Judith Sheridan, 2006, Section 2.1 Fracture and Stress Analysis: *in* Rose, P., Hickman, S., McCulloch, J., Davatzes, N.C., Moore, J.M., Kovac, K., Adams, M., Mella, M., Wannamaker, P., Julian, B., Foulger, G., Swenson, D., Gosavi, S., Bhat, A., Richards-Dinger, K., Monastero, F., Weidler, R., Baisch, S., Ghassemi, A., Kohl, T., and Megel, T., 2006, *Progress Report for Year Ending December 31, 2005: Creation of an Enhanced Geothermal System through Hydraulic and Thermal Stimulation: Report to DOE, grant # DE-FC07-01ID14186*, 239 p., p. 11-37.
- Diederichs, M.S., Kaiser, P.K., and Eberhardt, E., 2004, Damage initiation and propagation in hard rock during tunneling and the influence of near-face stress rotation: *International Journal of Rock Mechanics and Mining Sciences*, v. 41, p. 785-812.
- Drury, M.J., Jessop, A.M., and Lewis, T.J., 1984, The detection of groundwater flow by precise temperature measurements in boreholes: *Geothermics*, v. 13, no. 3, p. 163-174.
- Drury, M.J. and Jessop, A.M., 1987, The effect of a fluid-filled fracture on the temperature profile in a borehole: *Geothermics*, v. 5, no. 1, p. 145-152.
- Drury, M.J., 1989, Fluid flow in crystalline crust—detecting fractures by temperature logs: *in* Beck, A.E., Garven, G., Stegna, L., eds., *Hydrogeological regimes and their subsurface thermal effects: American Geophysical Union Geophysical Monograph 47*, p. 129-135.
- Eberhardt, E., 2001, Numerical modeling of three-dimension stress rotation ahead of an advancing tunnel face: *International Journal of Rock Mechanics and Mining Sciences*, v. 38, p. 499-518.
- Ekstrom, M.P., Dahan, C.A., Chen, M.Y., Lloyd, P.M., and Rossi, D.J., 1987, Formation imaging with microelectrical scanning arrays: *Log Analyst*, v. 28, p. 294.
- Evans, K.F., 2005, Permeability creation and damage due to massive fluid injections into granite at 3.5 km at Soultz: 2. Critical stress and fracture strength: *Journal of Geophysical Research*, v. 110, p. 1-14.
- Evans, K.F., Genter, A., and Sausse, J., 2005, Permeability creation and damage due to massive fluid injections into granite at 3.5 km at Soultz: 1. Borehole observations: *Journal of Geophysical Research*, v. 110, p. 1-19.
- Genter, A., Castaing, C., Dezayes, C., Tenzer, H., Traineau, H., and Villemain, T., 1997, Comparative analysis of direct (core) and indirect (borehole imaging tools) collection of fracture data in the Hot Dry Rock Soultz reservoir (France): *Journal of Geophysical Research*, v. 102, no. B7, p. 15419-15431.

- Georgi, D.T., 1985, Geometrical aspects of borehole televiwer images, paper C, *in* 27<sup>th</sup> annual logging symposium transactions, Paper C: Society of Professional Well Log Analysts 19 p.: Later reprinted in 1990: *in* Paillet, F.L., Barton, C., Luthi, S., Rambow, F. and Zemanek, J., eds., Borehole Imaging, Borehole Imaging Reprint Volume: Society of Professional Well Log Analysts, p. 129-147.
- Haimson, B., 2007, Micromechanisms of borehole instability leading to breakouts in rocks: *International Journal of Rock Mechanics and Mining Sciences*, v. 44, p. 157-173.
- Hearst, J.R., Nelson, P.H., and Paillett, F.L., 2000, Well Logging for Physical Properties: A Handbook for Geophysicists, Geologists and Engineers: Second Edition: New York, NY, John Wiley & Sons, Ltd, 483 p.
- Hickman, S., Zoback, M.D., and Benoit, R. (1998), Tectonic controls on fault-zone permeability in a geothermal reservoir at Dixie Valley, Nevada, *in* *Rock Mechanics in Petroleum Engineering*, vol. 1, R. M. Holt et al. (eds.), Society of Petroleum Engineers, Richardson, TX., p. 79-86.
- Hickman, S., Zoback, M. D., Barton, C., Benoit, R., Svitek, J. and Summers, R., 2000, Stress and permeability heterogeneity within the Dixie Valley geothermal reservoir: Recent results from well 82-5: *Proceedings 25th Workshop on Geothermal Reservoir Engineering*, Stanford Univ., v. 25, p. 256-265.
- Hickman, S. and Zoback, M., 2004, Stress orientations and magnitudes in the SAFOD pilot hole: *Geophysical Research Letters*, v. 31, no. L15S12, 4 p.
- Hiramatsu, Y. and Y. Oka, 1962, Stress around a shaft or level excavated in ground with a three-dimensional stress state: *Mem. Fac. Eng. Kyoto Univ.*, v. XXIV(I), p. 56-76.
- Hornby, B.E. and Luthi, S.M., 1992, An integrated interpretation of fracture apertures computed from electrical borehole scans and reflected Stonely Waves: *in* Hurst, A., Griffiths, C.M., and Worthington, P.F., eds., *Geological applications of wireline logs II: The Geological Society, London, Special Publication No. 65*, p. 179-184.
- Ingebritsen, S.E., Sanford, W.E., and Neuzil, C.E., 2006, Groundwater in Geological Processes: 2<sup>nd</sup> Edition: Cambridge University Press, 536 p.
- Ito, T. and Zoback, M.D., (2000), Fracture permeability and in situ stress to 7 km depth in the KTB scientific drillhole, *Geophysical Research Letters*, 27(7), 1045-1048.
- Jaeger, J.C. and Cook, N. G. W., 1979, Fundamentals of Rock Mechanics (Third Edition): New York, Chapman and Hall, p. 28-30.
- Keys, S., 1989, Borehole geophysics applied to ground-water investigations: Chapter E2 *in* *Techniques of Water-Resources Investigations of the United States Geological Survey: National Water Well Association, Dublin, Ohio. 1989. 313p.*  
[http://water.usgs.gov/pubs/twri/twri2-e2/pdf/twri\\_2-E2\\_f.pdf](http://water.usgs.gov/pubs/twri/twri2-e2/pdf/twri_2-E2_f.pdf).
- Kirsch, 1898, *Die Theorie der Elastizität und die Bedürfnisse der Festigkeitslehre: Zeitschrift des Vereines deutscher Ingenieure*, v. 42, p. 797-807
- Kovac, K.M., Moore, J.N., and Lutz, S.J., 2005, Geological framework of the East Flank, Coso geothermal field: Implications for EGS development: *Proceedings 30<sup>th</sup> Workshop on Geothermal Reservoir Engineering*, Stanford, CA, Jan31-Feb2. SGP-TR-176, v. 30, 7 p.
- Kulander, B.R., Dean, S.L., and Ward, B.J. Jr., 1990, Fractured Core Analysis: Interpretation, Logging, and Use of Natural and Induced Fractures in Core: AAPG Methods in Exploration Series, No. 8: Tulsa, OK., American Association of Petroleum Geologists, no. 8, 88 p.
- Li, Y. and Schmitt, D.R., 1997, Well-bore bottom stress concentration and induced core fractures: *American Association of Petroleum Geologists Bulletin*, v. 81, no. 11, p. 1909-1925.
- Li, Y. and Schmitt, D.R., 1998, Drilling-induced core fractures and in situ stress: *Journal of Geophysical Research*, v. 103, no. B3, p. 5225-5239.
- Linek, M., 2003, Interpretation of FMS image data referring to pore space analysis of continental Flood Basalts, an example of ODF hole 917A, East Greenland Margin: Ph.D. Thesis, Technische Universität, Bergakademie Freiberg, Germany, 103 p.
- Lockner, D.A. and Beeler, N.M., 2002, Rock failure and earthquakes: *in* Lee, W.K., Kanamori, H., Jennings, P. and Kisslinger, C., eds., International Handbook of Earthquake and Engineering seismology: San Diego, CA, Academic Press, v. 81A, p. 505-537.
- Lofts, J.C. and Bourke, L.T., 1999, The recognition of artifacts from acoustic and resistivity borehole imaging devices. *In* Lovell, M.A., Williamson, G., and Harvey, P.K., eds., *Borehole Imaging: applications and case histories: Geological Society, London, Special Publications*, v. 159, p. 59-76.
- Lorenz, J.C. and Finley, S.J., 1988, Significance of drilling and coring-induced fractures in Mesaverde core, northwestern Colorado: Sandia National Laboratories report SAND88-1623: Albuquerque, New Mexico, , 34 p.
- Lorenz, J.C., Finley, S.J., and Warpinski, N.R., 1990, Significance of coring-induced fractures in Mesaverde core, Northwestern, Colorado: *American Association of Petroleum Geologists*, v. 74, no. 7, p. 1017-1029.
- Luthi, S.M. and Souhaite, P., 1990, Fracture apertures from electrical borehole scans: *Geophysics*, v. 55, no. 7, p. 821-833.
- Menger, S. and Schepers, R., 1988, Method to derive high-resolution caliper logs from borehole televiwer traveltime data: *in* 1988 Annual Meeting Expanded Abstracts with Biographies, Volume I: Society of Exploration Geophysicists, v. 1, p. 554-556.
- Moos, D. and Zoback, M.D., 1990, Utilization of observations of well bore failure to constrain the orientation and magnitude of crustal stresses: Application to continental, deep sea drilling project, and ocean drilling program boreholes: *Journal of Geophysical Research*, v. 1000(B), p. 12791-12811.

- Morrow, C.A. and D.A. Lockner, 2006, Physical properties of two core samples from Well 34-9RD2 at the Coso Geothermal Field: U.S. Geological Survey Open-File Report, in preparation.
- Norton, D. and Knight, J.E., 1977, Transport phenomena in hydrothermal systems; cooling plutons: *American Journal of Science*, v. 277, no. October, p. 937-981.
- Paillet, F. L., 1998, Flow modeling and permeability estimation using borehole flow logs in heterogeneous fractured formations: *Water Resources Research*, v. 34, no. 5, p. 997-1010.
- Paillet, F. L., 2000, A field technique for estimating aquifer parameters using flow log data: *Ground Water*, v. 38, no. 4, p. 510-521.
- Peska, P. and Zoback, M.D., 1995, Compressive and tensile failure of inclined wellbores and determination of in situ stress and rock strength. *J Geophys Res*, **100** B7, pp. 12791–12811.
- Sheridan, J., Kovac, K.M., Rose, P. E., Barton, C. A., McCulloch, J., Berard, B., Moore, J. N., Petty, S. and Spielman, P., 2003, *In situ* stress, fracture and fluid flow analysis-East Flank of the Coso geothermal field: *28<sup>th</sup> Workshop on Geothermal Reservoir Engineering*, Stanford University, Stanford, California, January 27-29, SGP-TR-173, v. 28, 16 p.
- Sheridan, J.M. and Hickman, S., 2004, In situ stress, fracture, and fluid flow analysis in well 38C-9: An Enhanced Geothermal System in the Coso Geothermal Field: Proceedings, Twenty-Ninth Workshop on Geothermal Reservoir Engineering, SGP-TR-175, Stanford University, Stanford, California, January 26-28, 2004., v. 24, 8 p.
- Schmidt, M.G., Li, X., Steinsiek, R.R. and Ma, T.A., 1992, Numerical model for predicting and ultrasonic transducer pulse-echo response to borehole fractures: Transactions of the 33<sup>rd</sup> Annual Logging Symposium of the Society of Professional Well Log Analysts, v. 33, paper U.
- Snow, D.T., 1968, Rock fracture spacings, openings, and porosities: Proceedings American Society of Civil Engineers, v. 94, p. 73-91.
- Snow, D.T., 1965, A Parallel Plate Model of Fractured Permeable Media., *Ph.D. Dissertation*, University of California.
- Sorey, M.L., 1971, Measurement of vertical groundwater velocity from temperature profiles in wells: *Water Resources Review*, v. 7, p. 963-970.
- Trouiller, J-C., Delhomme, J-P., Carline, S., and Anxionnaz, H., 1989, Thin-bed reservoir analysis from borehole electrical images, SPE-19578: in SPE Annual Technical Conference and Exhibition Proceedings, v. Omega, Formation evaluation and reservoir geology: Society of Petroleum Engineers, p. 61-72: Later reprinted in 1990: in Paillet, F.L., Barton, C., Luthi, S., Rambow, F. and Zemanek, J., eds., Borehole Imaging, Borehole Imaging Reprint Volume: Society of Professional Well Log Analysts, p. 217-228.
- Wagner, W. and Kretzschmar, H-J., 2007, International Steam Tables: The Industrial Standard IAPWS-IF97 for the Thermodynamic Properties and Supplementary Equations for Other Properties: Tables, Algorithms, Diagrams, Software (2<sup>nd</sup> Edition): Springer, 350 p.
- Wicks, C.W., Thatcher, W., Monastero, F.C., and Hasting, M.A., 2001, Steady-state deformation of the Coso Range, East-Central California, inferred from satellite radar interferometry: *Journal of Geophysical Research*, v. 106, no. B7, p. 13769-13780.
- Williams, C.G., Jackson, P.D., Lovell, M.A., and Harvey, P.K., 1997, Assessment and interpretation of electrical borehole images using numerical simulations: *The Log Analyst*, v. 38, no. 6, p. 34-44.
- Zemanek, J., Glen, E.E.Jr., Norton, L.J., and Cardwell, R.L., 1970, Formation evaluation by inspection with the borehole televiewer: *Geophysics*, v. 35, p. 254-269.
- Zoback, M.D., Moos, D., Mastin, L., and Anderson, R.N., 1985, Well bore breakouts and in situ stress,” *Journal of Geophysical Research*, v. 90, no. B7, p. 5523-5530.
- Zoback, M.D., Barton, C.A., Brudy, M., Castillo, D.A., Finkbeiner, T., Grollmund, B.R., Moos, D.B., Peska, P., Ward, C.D., and Wiprut, D.J., 2003, Determination of stress orientation and magnitude in deep wells: *International journal of Rock Mechanics and Mining Sciences*, v. 40, p.1049-1076.